Montera, Jeff

From Sent To Subject French Craig [Cfrench@state mt us] Wednesday April 24 2002 8 42 AM

Montera Jeff Libby sap

Importance

High

Jeff

These comments are in response to the Libby Asbestos SAP dated April 8 2002

Overall the SAP is clear except for the methods of analyzing asbestos. On page 5-15 under Analytical Methods the SAP states SEM or IR methods will be used to analyze samples. More discussion should focus on the quantitative and qualitative natures of these methods. Since the site will eventually require action levels our ability to quantify the LAA in a sample is important. SEM with energy dispersive X-ray spectroscopy is well suited for identifying LAA however it is unclear how it can be used to come up with a percent by mass result. Please provide more insight into which methods will be used and for what purposes. Please indicate how we will quantify our results. Basically DEQ is concerned that these methods may be too subjective and this may be trouble for us down the road.

Perhaps the calibration schedule for the instruments (once a month) could be more frequent Calibrations could be run before each batch of samples More frequent calibration should help eliminate systematic errors

 $5\ 4\ 1\ 5$ Step 5 Develop a Decision Rule last sentence of this section page 5-1 a values should be at values

Craig French
MT DEQ
cfrench@state mt us <mailto cfrench@state mt us>
406-444-3072